# FETY DATA SHEET



# Section 1 – Product Identification and Company Details

Product Name: Plastibar White UN-1263, Paint, 3 (Flammable Liquid), PG II

Product Code(s): **PB-10** Contact: Kris Hatcher

Manufacturers Name: Safety Coatings, Inc. Email: khatcher@safetycoatings.com

20180 Safety Lane, Address: Foley, Alabama, 36535

For 1-800-424-9300 - Chemtrec Telephone Number: (251) 943-1638 Emergency:

Fax Number: (251) 943-3689

Date Prepared: 02/15/2013 Date Revised:

## Section 2 – Hazards Identification

White - Petroleum Odor HMIS: Appearance:

Exposure Routes: Inhalation, Skin, Ingestion 2 3

Stinging, tearing, redness, and swelling Eve Contact:

Skin Contact: Dryness and mild irritation

Nasal and respiratory irritation, dizziness, weakness, fatigue, nausea, Ingestion:

headache, possible unconsciousness, and even death.

Gastrointestinal irritation, nausea, vomiting, and aspiration into the lungs can Inhalation:

cause chemical pneumonitis, which can be fatal.

Carcinogenicity: NTP: No. ARC Monographs: No. OSHA Regulated: No.

Chronic Overexposure: Deliberate *inhalation* misuse may lead to liver, kidney, and brain damage.

#### Section 3 – Composition / Information on Ingredients

<b>Hazardous Components</b>	CAS Number	OSHA PEL	<b>ACGIH TLV</b>	<u>OTHER</u>	<u>%</u>
* 1. Toluene (Toluol)	108-88-3	200 PPM	100 PPM	NONE	27-29
Titanium Dioxide	13463-67-7	15mg/m <sup>3</sup>	10mg/m <sup>3</sup>	NONE	10-12
Calcium Carbonate	1317-65-3	N/A	10mg/m <sup>3</sup>	NONE	25-27
Hydrous Magnesium Silicate	14807-96-6	2mg/m <sup>3</sup>	2mg/m <sup>3</sup>	NONE	8-10

Non-Hazardous Components	<u>VOC – 3.27# / G</u>	<b>4L.</b> 393	Bg / Liter	
Organo Montmorillionite	N/A	N/A	NONE	1-2
Acrylic Resin Solids	N/A	N/A	NONE	20-22
Plasticizer	N/A	N/A	NONE	4-5

\* Refer to "Section 15" for SARA TITLE III - SECTION 313 - REPORTABLE CHEMICALS \*

	Section 4 – First Aid Me	asures				
Skin:	oroughly wash skin and clothing with soa	eyes with water. If symptoms persist, seek medical attention.  ughly wash skin and clothing with soap and water. If symptoms persist, seek				
	edical attention. swallowed, do not induce vomiting. Get m					
ingestion.						
Floor Doint	Section 5 – Fire Fighting N 35-45° F TOC	leasures		4.4		
Flash Point:			LEL:	1.1		
Flammable Limits:	VERY FLAMMABLE		UEL:	7.0		
Extinguishing Media:	•	Foam / Carbon Dioxide / Dry Chemical / Halon				
Special Fire Fighting Procedures:	Self-contained breathing apparatus with a full face piece operated in pressure – demand or other positive pressure mode.					
Unusual Fire and Explos Hazards:		Keep away from all heat sources. Vapor is heavier than air and may travel along the ground. Empty containers (with residue) are also flammable.				
Section 6 – Accidental Release Measures						
Personal Precautions:	For personal protection, see "Section 8". Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Ensure adequate ventilation. Eliminate all ignition sources.					
Environmental Precautio	flush into surface water or sanitary s advised if significant spillages canno	Prevent spreading over a wide area. Do not let product enter drains. Do not flush into surface water or sanitary sewer system. Local authorities should be advised if significant spillages cannot be obtained.  Contain spillage, and then collect with non-combustible absorbent material,				
Methods for Clean Up:	(e.g. sand, earth) and place in conta	(e.g. sand, earth) and place in container for disposal according to local/federal regulations (see "Section 13").				
	Section 7 – Handling and	Storage				
Handling:	Containers of this product may be hazardous when emptied. Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions given in the data sheet must be observed. Electrically bond and ground all containers, personnel, and equipment before transfer or use of material.					
Storage:	Store in a cool, dry, ventilated area,	Store in a cool, dry, ventilated area, away from heat sources.				
Se	ction 8 – Exposure Controls / Pe	rsonal Protect	ion			
Ventilation:	Local Exhaust:	Special:				
	Sufficient enough to maintain below	N/A				
	TLV Mechanical (General)	Other:				
	, ,					
Panniratan, Protection	Same	N/A				
Respiratory Protection:	NIOSH approved self-contained brea	anning apparatus				
Protective Gloves:	Yes					
Eye Protection: Other Protective Clothing	<ul><li>Yes</li><li>or</li><li>Impervious clothing and shoes</li></ul>					
Equipment: Work / Hygienic Practice						

# **Section 9 – Physical and Chemical Properties**

Appearance: Liquid, White Solubility in Water: Negligible

Odor: Petroleum Vapor Density: (AIR=1) 3.2

Boiling point/
boiling rengal 220-230° F Specific Gravity: 1.4-1.5

boiling range:  $(H^20=1)$ 

Melting Point: Liquid Evaporation Rate: (Butyl Acetate = 1) 2-3

Flash Point: 35-45° F TOC Vapor Pressure: (mm HG.) 63

# Section 10 - Stability and Reactivity

Stability: Stable

Conditions to avoid: Heat, flames, and sparks.

Incompatibility: (Materials to Avoid)

or Byproduct:

Water

Hazardous Decomposition

None

Hazardous Polymerization: Will not occur.

## Section 11 - Toxicological Information

Refer to "Section 2"

## **Section 12 – Ecological Information**

Product contains organic solvents which have been linked to ozone layer depletion.

### Section 13 – Disposal Information

Product is a hazardous waste that must be disposed of according to State, Local, and Federal Regulations

#### Section 14 – Transport Information

UN-1263, Paint, 3 (Flammable Liquid), PG II

#### Section 15 – Regulatory Information

Section 313: Supplier Notification

\*Consult "OSHA Guide 1910" for U.S. Federal Regulations\*

These chemical(s) are subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act or 1986 (40 CFR 372):

CAS Number Chemical Name % By Weight

\* 1. 108-88-3 Toluene 27-29

#### Section 16 – Other Information

#### \*\*Disclaimer\*\*

The information contained herein is based on data available at the time of preparation of this data sheet and which Safety Coatings, Inc. believes to be reliable. However, no warranty is expressed or implied regarding the accuracy of this data. Safety Coatings, Inc. shall not be responsible for the use of this information, or of any product, method, or apparatus mentioned and you must make your own determination of its suitability and completeness for your own use, for the protection of the environment, and the health and safety of your employees and users of this material.